

Frame on Public Cloud Ports/Protocols Summary

FGA 8 with FRP 8 (WebRTC)

Private Networking

| Source to Destination | Source IP address | Destination FQDN(s) | Protocol:port |
|--------------------------------|--|--|--|
| Workload VMs to Frame Platform | Public IP address (NAT from private IP address), from perspective of Frame Platform | <ul style="list-style-type: none"> gateway-external-api-prod.frame.nutanix.com img.console.nutanix.com img.frame.nutanix.com prod-kds-5683567dcbd60804cb34.s3.us-east-1.amazonaws.com prod-sup-5683567dcbd60804cb34.s3.us-east-1.amazonaws.com downloads.console.nutanix.com logging.console.nutanix.com | <ul style="list-style-type: none"> tcp/443 (HTTPS) |
| | | <ul style="list-style-type: none"> cch.console.nutanix.com messaging.console.nutanix.com | <ul style="list-style-type: none"> tcp/443 (HTTPS, WSS) |
| | | <ul style="list-style-type: none"> stun.console.nutanix.com | <ul style="list-style-type: none"> udp/3478 |
| End user to Frame Platform | Public IP address (NAT from private IP address if end user in private network), from perspective of Frame Platform | <ul style="list-style-type: none"> console.nutanix.com lmg.console.nutanix.com img.frame.nutanix.com cpanel-backend.console.nutanix.com prod-cpa-5683567dcbd60804cb34.s3.us-east-1.amazonaws.com terminal-prod.frame.nutanix.com login.console.nutanix.com (for Frame IdP, if used) logs-01.loggly.com (tcp/6514 (TLS), for event logging) | <ul style="list-style-type: none"> tcp/443 (HTTPS) |
| | | <ul style="list-style-type: none"> messaging.console.nutanix.com | <ul style="list-style-type: none"> tcp/443 (HTTPS, WSS) |
| End user to Workload VM | Private IP address | <ul style="list-style-type: none"> *.nutanixframe.com or *.nutanix-frame.com resolving to private IP address within VPC/VNET | <ul style="list-style-type: none"> udp/4503-4509 |

Notes:

1. Orange rows identify communication paths that traverse the public-private network boundary.

